

# ROADWAY FUNCTIONAL CLASSIFICATIONS

## MAJOR COLLECTORS

14<sup>TH</sup> Street  
 Amelia Island Park  
 CR 200A (Pages Dairy Road)  
 CR 107 (Blackrock Road)  
 CR 107 (Nassauville Road)  
 Chester Road  
 CR 108 (Hilliard)  
 CR 108 (Callahan)  
 CR 121

## MINOR COLLECTORS

C-105A (Amelia Road)	Andrews Road
Amelia Road	CR119
Sadler Road	Ratliff Road
Lime Street	CR 2
Citrona Avenue	Ford Road
Will Hardee Road	Pratt Siding Road
Simmons Road	Barnwell Road
Jasmine Street	Miner Road
T.J. Courson Road	CR 121 A
CR 115	CR 115 A
Lessie Road	

Note: Major Collectors require a structural course of 1 ¼ S-1 and surface course of ¾" S-1.  
 Minor Collectors only require 1 ½" S-1. This list is subject to change upon revisions.

## DRIVEWAY CONSTRUCTION STANDARDS

Single Family	Local Roads	Minor Collectors	Major Collectors
Normal Width	12-18'	12-18'	14-18'
Minimum Flare	5'	5'	10'

### MINIMUM SPACING

From Property Line	5'	5'	15'
From Street Corner	50'	100'	100'
Between Driveways	50'	100'	100'

### PAVEMENT SECTION

Concrete (Reinforced) (Minimum 3000 psi)	6"	6"	6"
Asphalt	1 ¼" SI	1 ½" SI	2" SI
Base Course (Limerock)	6"	8"	8"
@ LBR 100 & 98% Density			
Stabilized Subgrade	12"	12"	12"
@ LBR 40 & 98% Density			

Per adopted Nassau County Resolution #97-185, a \$25.00 reinspection fee is required prior to rescheduling a failed inspection. This fee may be paid at the Engineering Services Department located at 96161 Nassau Place in Yulee, Florida from 8:00 A.M. until 5:00 P.M., Monday thru Friday (excluding holidays).